
X5i UNCOMPROMISING PRECISION FOR LONG RANGE HUNTING

4Wm-|+

- Reticle that has been optimized for marksmen who adjust the height with the turret and the crosswind with the reticle.
- 5 cm/100 m distances between each windage mark.
- Only the central aiming point of the night reticle is illuminated.
- Due to the linear scales, necessary adjustments to the impact point can be quickly measured with the reticle and transferred to the turret.
- Available for: X5i 3.5-18x50 P 0.5 cm/100 m X5i 5-25x56 P 0.5 cm/100 m



SUBTENSION DIMENSION (cm/100 m)

	А	В	С	D	E	F	G	Н	I
X5i 3.5-18x50 P	0.3	2.6	100.0	30.0	2.5	5.0	5.0	25.0	0.8
X5i 5-25x56 P	0.2	1.1	100.0	30.0	2.5	5.0	5.0	25.0	0.6

As the reticle is located in the second image plane, the data only applies to the highest magnification.


01/2019



X5i UNCOMPROMISING PRECISION FOR LONG RANGE HUNTING

BRMm-I+

- Specially developed for long-range shots.
- With a distance of 5 cm / 100 m (0.5 MRAD) between each marking.
- The whole functional area of the reticle is lit up.
- All hold-over lines under the main aiming point have windage marks allowing adjustment for any crosswind.
- To ensure maximum versatility, the sight-in distance can be made shorter using the adjustment line above the main aiming point.
- Due to the linear scales, necessary adjustments to the impact point can be quickly measured with the reticle and transferred to the turret.
- Available for:
 X5i 3.5-18x50 P 0.5 cm/100 m
 X5i 5-25x56 P 0.5 cm/100 m



SUBTENSION DIMENSION (cm/100 m)

	А	В	С	D	E	F	G	Н		J	К
X5i 3.5-18x50 P	0.4	2.5	1.3	110.0	65.0	2.5	5.0	5.0	50.0	15.0	60.0
X5i 5-25x56 P	0.3	1.8	1.3	110.0	65.0	2.5	5.0	5.0	50.0	15.0	60.0

As the reticle is located in the second image plane, the data only applies to the highest magnification.


01/2019



X5i UNCOMPROMISING PRECISION FOR LONG RANGE HUNTING

4WXm-l+

- Developed for accurate aiming and estimating distances.
- 2 cm distances at 100 m between each marking offer maximum accuracy even over long distances.
- The floating crosshair allows you to aim accurately even at the smallest targets, offering the best possible visibility of the target.
- The whole functional area of the reticle is lit up.
- To ensure maximum versatility, the sight-in distance can be made shorter using the adjustment line above the main aiming point.
- Due to the linear scales, necessary adjustments to the impact point can be quickly measured with the reticle and transferred to the turret.
- Available for: X5i 5-25x56 P 0.5 cm/100 m



SUBTENSION DIMENSION (cm/100 m)

	А	В	С	D	E	F	G	Н		J	K	L
X5i 5-25x56 P	0.2	1.8	128.0	64.0	5.0	5.0	2.5	4.0	6.0	5.0	40.0	10.0

As the reticle is located in the second image plane, the data only applies to the highest magnification.

01/2019

